

Notice of Allowability

Application No.

10/773,290

Examiner

Ly D Pham

Applicant(s)

YAMADA, JUNICHI

Art Unit

2818

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12 October 2004.
2. ☒ The allowed claim(s) is/are 12-15.
3. ☒ The drawings filed on 09 February 2004 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☒ Certified copies of the priority documents have been received in Application No. 10/211,378.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


David Nelms
Supervisory Patent Examiner
Technology Center

DETAILED ACTION

1. Applicant's Response filed October 12, 2004 has been entered.
2. The Office acknowledges claims 1 – 11 cancelled per applicant's Pre-Amendment filed February 09, 2004. Accordingly, requirement to cancel these claims in the Office Action mailed in July 21, 2004 is hereby withdrawn.

Response to Arguments

3. Applicant's arguments, see remarks, filed October 12, 2004, with respect to claim 12 have been fully considered and are persuasive. The rejection of claims 12 – 15 has been withdrawn.
4. Claims 12 – 36 are pending in the application. Claims 16 – 36 have been withdrawn from further consideration without traverse in the response to the Election requirement filed in June 28, 2004.
5. Claims 12 – 15 are in condition for allowance except for the following formal matter.

EXAMINER'S AMENDMENT

6. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claims 16 – 36 are cancelled for being drawn to non-elected inventions.

Election was made without traverse as indicated above. Applicant has the right to file divisional applications on subject matter covered by these claims.

Allowable Subject Matter

7. Claims 12 – 15 are allowed.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.


9. A shortened statutory period for response to this action is set to expire 3 (three) months and 0 (zero) day from the date of this letter. Failure to respond within the period for response will cause the application to become abandoned (see MPEP 710.02(b)).

Art Unit: 2818

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ly D Pham whose telephone number is 571-272-1793. The examiner can normally be reached on Monday - Friday, 8:30am - 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on 571-272-1787. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Ly Pham 
November 27, 2004


David Nelms
Supervisory Patent Examiner
Technology Center 2800